

VOMS CC API

1.5.0

Generated by Doxygen 1.7.5

Sun Oct 23 2011 02:02:56

Contents

| | | |
|----------|--|----------|
| 1 | Data Structure Index | 1 |
| 1.1 | Data Structures | 1 |
| 2 | File Index | 3 |
| 2.1 | File List | 3 |
| 3 | Data Structure Documentation | 5 |
| 3.1 | attribute Struct Reference | 5 |
| 3.1.1 | Field Documentation | 5 |
| 3.1.1.1 | name | 5 |
| 3.1.1.2 | qualifier | 5 |
| 3.1.1.3 | value | 5 |
| 3.2 | attributelist Struct Reference | 6 |
| 3.2.1 | Field Documentation | 6 |
| 3.2.1.1 | attributes | 6 |
| 3.2.1.2 | grantor | 6 |
| 3.3 | contactdata Struct Reference | 6 |
| 3.3.1 | Field Documentation | 7 |
| 3.3.1.1 | contact | 7 |
| 3.3.1.2 | host | 7 |
| 3.3.1.3 | nick | 7 |
| 3.3.1.4 | port | 7 |
| 3.3.1.5 | version | 7 |
| 3.3.1.6 | vo | 7 |
| 3.4 | data Struct Reference | 7 |
| 3.4.1 | Detailed Description | 8 |

| | | |
|----------|--|----|
| 3.4.2 | Field Documentation | 8 |
| 3.4.2.1 | cap | 8 |
| 3.4.2.2 | group | 8 |
| 3.4.2.3 | role | 8 |
| 3.5 | vomsdata::Initializer Class Reference | 8 |
| 3.5.1 | Constructor & Destructor Documentation | 9 |
| 3.5.1.1 | Initializer | 9 |
| 3.6 | voms Struct Reference | 9 |
| 3.6.1 | Constructor & Destructor Documentation | 10 |
| 3.6.1.1 | voms | 10 |
| 3.6.1.2 | voms | 10 |
| 3.6.1.3 | ~voms | 10 |
| 3.6.2 | Member Function Documentation | 10 |
| 3.6.2.1 | GetAC | 10 |
| 3.6.2.2 | GetAttributes | 10 |
| 3.6.2.3 | GetTargets | 10 |
| 3.6.2.4 | operator= | 10 |
| 3.6.3 | Friends And Related Function Documentation | 10 |
| 3.6.3.1 | TranslateVOMS | 10 |
| 3.6.3.2 | vomsdata | 10 |
| 3.6.4 | Field Documentation | 10 |
| 3.6.4.1 | custom | 10 |
| 3.6.4.2 | date1 | 10 |
| 3.6.4.3 | date2 | 10 |
| 3.6.4.4 | fqn | 11 |
| 3.6.4.5 | serial | 11 |
| 3.6.4.6 | server | 11 |
| 3.6.4.7 | serverca | 11 |
| 3.6.4.8 | siglen | 11 |
| 3.6.4.9 | signature | 11 |
| 3.6.4.10 | std | 11 |
| 3.6.4.11 | type | 11 |
| 3.6.4.12 | uri | 12 |
| 3.6.4.13 | user | 12 |

| | | |
|----------|--|----|
| 3.6.4.14 | userca | 12 |
| 3.6.4.15 | version | 12 |
| 3.6.4.16 | voname | 12 |
| 3.7 | vomsdata Struct Reference | 12 |
| 3.7.1 | Constructor & Destructor Documentation | 14 |
| 3.7.1.1 | vomsdata | 14 |
| 3.7.1.2 | ~vomsdata | 14 |
| 3.7.1.3 | vomsdata | 14 |
| 3.7.2 | Member Function Documentation | 14 |
| 3.7.2.1 | AddTarget | 14 |
| 3.7.2.2 | Contact | 14 |
| 3.7.2.3 | Contact | 15 |
| 3.7.2.4 | ContactRaw | 15 |
| 3.7.2.5 | ContactRaw | 15 |
| 3.7.2.6 | ContactRESTRaw | 16 |
| 3.7.2.7 | DefaultData | 16 |
| 3.7.2.8 | ErrorMessage | 16 |
| 3.7.2.9 | Export | 16 |
| 3.7.2.10 | FindByAlias | 16 |
| 3.7.2.11 | FindByVO | 17 |
| 3.7.2.12 | Import | 17 |
| 3.7.2.13 | ListTargets | 17 |
| 3.7.2.14 | LoadCredentials | 17 |
| 3.7.2.15 | LoadSystemContacts | 17 |
| 3.7.2.16 | LoadUserContacts | 18 |
| 3.7.2.17 | Order | 18 |
| 3.7.2.18 | ResetOrder | 18 |
| 3.7.2.19 | ResetTargets | 18 |
| 3.7.2.20 | Retrieve | 19 |
| 3.7.2.21 | Retrieve | 19 |
| 3.7.2.22 | Retrieve | 19 |
| 3.7.2.23 | Retrieve | 19 |
| 3.7.2.24 | RetrieveFromCred | 20 |
| 3.7.2.25 | RetrieveFromCtx | 20 |

| | | |
|----------|--------------------------------|-----------|
| 3.7.2.26 | RetrieveFromProxy | 20 |
| 3.7.2.27 | ServerErrors | 21 |
| 3.7.2.28 | SetLifetime | 21 |
| 3.7.2.29 | SetRetryCount | 21 |
| 3.7.2.30 | SetVerificationTime | 21 |
| 3.7.2.31 | SetVerificationType | 21 |
| 3.7.3 | Field Documentation | 21 |
| 3.7.3.1 | data | 21 |
| 3.7.3.2 | error | 21 |
| 3.7.3.3 | extra_data | 21 |
| 3.7.3.4 | workvo | 22 |
| 4 | File Documentation | 23 |
| 4.1 | voms_api.h File Reference | 23 |
| 4.1.1 | Define Documentation | 24 |
| 4.1.1.1 | NOGLOBUS | 24 |
| 4.1.2 | Typedef Documentation | 24 |
| 4.1.2.1 | check_sig | 24 |
| 4.1.2.2 | gss_cred_id_t | 24 |
| 4.1.2.3 | gss_ctx_id_t | 24 |
| 4.1.3 | Enumeration Type Documentation | 25 |
| 4.1.3.1 | data_type | 25 |
| 4.1.3.2 | recurse_type | 25 |
| 4.1.3.3 | verify_type | 25 |
| 4.1.3.4 | verror_type | 25 |
| 4.1.4 | Function Documentation | 26 |
| 4.1.4.1 | getVOMSMajorVersionNumber | 26 |
| 4.1.4.2 | getVOMSMinorVersionNumber | 26 |
| 4.1.4.3 | getVOMSPatchVersionNumber | 26 |

Chapter 1

Data Structure Index

1.1 Data Structures

Here are the data structures with brief descriptions:

| | |
|---|----|
| attribute | 5 |
| attributelist | 6 |
| contactdata | 6 |
| data | |
| User's characteristics: can be repeated. Generic name-value at- | |
| tribute : can be repeated | 7 |
| vomsdata::Initializer | 8 |
| voms | 9 |
| vomsdata | 12 |

Chapter 2

File Index

2.1 File List

Here is a list of all files with brief descriptions:

| | |
|----------------------------|----|
| voms_api.h | 23 |
|----------------------------|----|

Chapter 3

Data Structure Documentation

3.1 attribute Struct Reference

```
#include <voms_api.h>
```

Data Fields

- std::string [name](#)
- std::string [qualifier](#)
- std::string [value](#)

3.1.1 Field Documentation

3.1.1.1 std::string attribute::name

attribute's group

Definition at line 57 of file voms_api.h.

3.1.1.2 std::string attribute::qualifier

attribute's qualifier

Definition at line 58 of file voms_api.h.

3.1.1.3 std::string attribute::value

attribute's value

Definition at line 59 of file voms_api.h.

The documentation for this struct was generated from the following file:

- [voms_api.h](#)

3.2 attributelist Struct Reference

```
#include <voms_api.h>
```

Data Fields

- std::string [grantor](#)
- std::vector< [attribute](#) > [attributes](#)

3.2.1 Field Documentation

3.2.1.1 std::vector<attribute> attributelist::attributes

The attributes themselves.

Definition at line 64 of file voms_api.h.

3.2.1.2 std::string attributelist::grantor

Who granted these attributes.

Definition at line 63 of file voms_api.h.

The documentation for this struct was generated from the following file:

- [voms_api.h](#)

3.3 contactdata Struct Reference

```
#include <voms_api.h>
```

Data Fields

- std::string [nick](#)
- std::string [host](#)
- std::string [contact](#)
- std::string [vo](#)
- int [port](#)
- int [version](#)

3.3.1 Field Documentation

3.3.1.1 `std::string contactdata::contact`

The subject of the server's certificate

Definition at line 82 of file voms_api.h.

3.3.1.2 `std::string contactdata::host`

The hostname of the server

Definition at line 81 of file voms_api.h.

3.3.1.3 `std::string contactdata::nick`

< You must never allocate directly this structure. Its `sizeof()` is subject to change without notice. The only supported way to obtain it is via the `FindBy*` functions. The alias of the server

Definition at line 80 of file voms_api.h.

3.3.1.4 `int contactdata::port`

The port on which the server is listening

Definition at line 84 of file voms_api.h.

3.3.1.5 `int contactdata::version`

The version of globus under which the server is running

Definition at line 86 of file voms_api.h.

3.3.1.6 `std::string contactdata::vo`

The VO served by this server

Definition at line 83 of file voms_api.h.

The documentation for this struct was generated from the following file:

- [voms_api.h](#)

3.4 data Struct Reference

User's characteristics: can be repeated. Generic name-value attribute : can be repeated.

```
#include <voms_api.h>
```

Data Fields

- `std::string` [group](#)
- `std::string` [role](#)
- `std::string` [cap](#)

3.4.1 Detailed Description

User's characteristics: can be repeated. Generic name-value attribute : can be repeated.

3.4.2 Field Documentation

3.4.2.1 `std::string data::cap`

user's capability

Definition at line 51 of file `voms_api.h`.

3.4.2.2 `std::string data::group`

user's group

Definition at line 49 of file `voms_api.h`.

3.4.2.3 `std::string data::role`

user's role

Definition at line 50 of file `voms_api.h`.

The documentation for this struct was generated from the following file:

- [voms_api.h](#)

3.5 vomsdata::Initializer Class Reference

Public Member Functions

- [Initializer](#) ()

3.5.1 Constructor & Destructor Documentation

3.5.1.1 vomsdata::Initializer::Initializer ()

The documentation for this class was generated from the following file:

- [voms_api.h](#)

3.6 voms Struct Reference

```
#include <voms_api.h>
```

Public Member Functions

- [voms](#) (const [voms](#) &)
- [voms](#) ()
- [voms](#) & [operator=](#) (const [voms](#) &)
- [~voms](#) ()
- AC * [GetAC](#) ()
- std::vector< [attributelist](#) > & [GetAttributes](#) ()
- std::vector< std::string > [GetTargets](#) ()

Data Fields

- int [version](#)
- int [siglen](#)
- std::string [signature](#)
- std::string [user](#)
- std::string [userca](#)
- std::string [server](#)
- std::string [serverca](#)
- std::string [voname](#)
- std::string [uri](#)
- std::string [date1](#)
- std::string [date2](#)
- [data_type](#) type
- std::vector< [data](#) > [std](#)
- std::string [custom](#)
- std::vector< std::string > [fqan](#)
- std::string [serial](#)

Friends

- class [vomsdata](#)
- int [TranslateVOMS](#) (struct vomsdatar *vd, std::vector< [voms](#) > &v, int *error)

3.6.1 Constructor & Destructor Documentation

3.6.1.1 `voms::voms (const voms &)`

3.6.1.2 `voms::voms ()`

3.6.1.3 `voms::~voms ()`

3.6.2 Member Function Documentation

3.6.2.1 `AC* voms::GetAC ()`

3.6.2.2 `std::vector<attributelist>& voms::GetAttributes ()`

Generic attributes

3.6.2.3 `std::vector<std::string> voms::GetTargets ()`

3.6.2.4 `voms& voms::operator= (const voms &)`

3.6.3 Friends And Related Function Documentation

3.6.3.1 `int TranslateVOMS (struct vomsdata * vd, std::vector< voms > & v, int * error)`
[friend]

3.6.3.2 `friend class vomsdata` [friend]

Definition at line 92 of file voms_api.h.

3.6.4 Field Documentation

3.6.4.1 `std::string voms::custom`

The data returned by an S command

Definition at line 106 of file voms_api.h.

3.6.4.2 `std::string voms::date1`

Beginning of validity of the user info

Definition at line 102 of file voms_api.h.

3.6.4.3 `std::string voms::date2`

End of validity of the user info

Definition at line 103 of file voms_api.h.

3.6.4.4 `std::vector<std::string> voms::fqan`

Keeps the data in the compact format

Definition at line 108 of file voms_api.h.

3.6.4.5 `std::string voms::serial`

Serial number. "0" if coming from non-ac

Definition at line 109 of file voms_api.h.

3.6.4.6 `std::string voms::server`

The VOMS server DN, as from its certificate

Definition at line 98 of file voms_api.h.

3.6.4.7 `std::string voms::serverca`

The CA which signed the VOMS certificate

Definition at line 99 of file voms_api.h.

3.6.4.8 `int voms::siglen`

The length of the VOMS server signature

Definition at line 94 of file voms_api.h.

3.6.4.9 `std::string voms::signature`

The VOMS server signature

Definition at line 95 of file voms_api.h.

3.6.4.10 `std::vector<data> voms::std`

User's characteristics

Definition at line 105 of file voms_api.h.

3.6.4.11 `data_type voms::type`

The type of data returned

Definition at line 104 of file voms_api.h.

3.6.4.12 `std::string voms::uri`

The URI of the VOMS server

Definition at line 101 of file voms_api.h.

3.6.4.13 `std::string voms::user`

The user's DN, as from his certificate

Definition at line 96 of file voms_api.h.

3.6.4.14 `std::string voms::userca`

The CA which signed the user's certificate

Definition at line 97 of file voms_api.h.

3.6.4.15 `int voms::version`

0 means data didn't originate from an AC

Definition at line 93 of file voms_api.h.

3.6.4.16 `std::string voms::vname`

The name of the VO to which the VOMS belongs

Definition at line 100 of file voms_api.h.

The documentation for this struct was generated from the following file:

- [voms_api.h](#)

3.7 vomsdata Struct Reference

```
#include <voms_api.h>
```

Data Structures

- class [Initializer](#)

Public Member Functions

- [vomsdata](#) (std::string voms_dir="", std::string cert_dir="")
- bool [LoadSystemContacts](#) (std::string dir="")
- bool [LoadUserContacts](#) (std::string dir="")
- std::vector< [contactdata](#) > [FindByAlias](#) (std::string alias)
- std::vector< [contactdata](#) > [FindByVO](#) (std::string vo)
- void [Order](#) (std::string att)
- void [ResetOrder](#) (void)
- void [AddTarget](#) (std::string target)
- std::vector< std::string > [ListTargets](#) (void)
- void [ResetTargets](#) (void)
- std::string [ServerErrors](#) (void)
- bool [Retrieve](#) (X509 *cert, STACK_OF(X509)*chain, [recurse_type](#) how=RECURSE_CHAIN)
- bool [Contact](#) (std::string hostname, int port, std::string servsubject, std::string command)
- bool [Contact](#) (std::string hostname, int port, std::string servsubject, std::string command, int timeout)
- bool [ContactRaw](#) (std::string hostname, int port, std::string servsubject, std::string command, std::string &raw, int &version)
- bool [ContactRaw](#) (std::string hostname, int port, std::string servsubject, std::string command, std::string &raw, int &version, int timeout)
- void [SetVerificationType](#) ([verify_type](#) how)
- void [SetLifetime](#) (int lifetime)
- bool [Import](#) (std::string buffer)
- bool [Export](#) (std::string &data)
- bool [DefaultData](#) (voms &)
- std::string [ErrorMessage](#) (void)
- bool [RetrieveFromCtx](#) (gss_ctx_id_t context, [recurse_type](#) how)
- bool [RetrieveFromCred](#) (gss_cred_id_t credential, [recurse_type](#) how)
- bool [Retrieve](#) (X509_EXTENSION *ext)
- bool [RetrieveFromProxy](#) ([recurse_type](#) how)
- bool [Retrieve](#) (FILE *file, [recurse_type](#) how)
- bool [Retrieve](#) (AC *ac)
- [~vomsdata](#) ()
- [vomsdata](#) (const [vomsdata](#) &)
- void [SetRetryCount](#) (int retryCount)
- void [SetVerificationTime](#) (time_t)
- bool [LoadCredentials](#) (X509 *, EVP_PKEY *, STACK_OF(X509)*)
- bool [ContactRESTRaw](#) (const std::string &, int, const std::string &, std::string &, int, int)

Data Fields

- [verror_type](#) error
- std::vector< [voms](#) > [data](#)
- std::string [workvo](#)
- std::string [extra_data](#)

3.7.1 Constructor & Destructor Documentation

3.7.1.1 `vomsdata::vomsdata (std::string voms_dir = " ", std::string cert_dir = " ")`

Parameters

| | |
|-----------------|---|
| <i>voms_dir</i> | The directory which contains the certificate of the VOMS server |
| <i>cert_dir</i> | The directory which contains the certificate of the CA |

If *voms_dir* is empty, the value of the environment variable X509_VOMS_DIR is taken.

If *cert_dir* is empty, the value of the environment variable X509_CERT_DIR is taken.

3.7.1.2 `vomsdata::~vomsdata ()`

3.7.1.3 `vomsdata::vomsdata (const vomsdata &)`

3.7.2 Member Function Documentation

3.7.2.1 `void vomsdata::AddTarget (std::string target)`

Adds a target to the AC.

Parameters

| | |
|---------------|--|
| <i>target</i> | The target to be added. it should be a FQDN. |
|---------------|--|

3.7.2.2 `bool vomsdata::Contact (std::string hostname, int port, std::string servsubject, std::string command)`

Contacts a VOMS server to get a certificate

It is the equivalent of the `voms_proxy_init` command, but without the `--include functionality`.

Parameters

| | |
|--------------------|--|
| <i>hostname</i> | FQDN of the VOMS server |
| <i>port</i> | the port on which the VOMS server is listening |
| <i>servsubject</i> | the subject of the server's certificate |
| <i>command</i> | the command sent to the server |

Returns

failure (F) or success (T)

3.7.2.3 `bool vomsdata::Contact (std::string hostname, int port, std::string servsubject,
std::string command, int timeout)`

Contacts a VOMS server to get a certificate

It is the equivalent of the `voms_proxy_init` command, but without the `--include` functionality.

Parameters

| | |
|--------------------|--|
| <i>hostname</i> | FQDN of the VOMS server |
| <i>port</i> | the port on which the VOMS server is listening |
| <i>servsubject</i> | the subject of the server's certificate |
| <i>command</i> | the command sent to the server |

Returns

failure (F) or success (T)

3.7.2.4 `bool vomsdata::ContactRaw (std::string hostname, int port, std::string servsubject,
std::string command, std::string & raw, int & version)`

Same as `Contact`, however it does not start the verification process, and the message received from the server is not parsed.

Parameters

| | |
|--------------------|--|
| <i>hostname</i> | FQDN of the VOMS server |
| <i>port</i> | the port on which the VOMS server is listening |
| <i>servsubject</i> | the subject of the server's certificate |
| <i>command</i> | the command sent to the server |
| <i>raw</i> | OUTPUT PARAMETER the answer from the server |
| <i>version</i> | OUTPUT PARAMETER the version of the answer |

Returns

failure (F) or success (T)

3.7.2.5 `bool vomsdata::ContactRaw (std::string hostname, int port, std::string servsubject,
std::string command, std::string & raw, int & version, int timeout)`

Same as `Contact`, however it does not start the verification process, and the message received from the server is not parsed.

Parameters

| | |
|--------------------|--|
| <i>hostname</i> | FQDN of the VOMS server |
| <i>port</i> | the port on which the VOMS server is listening |
| <i>servsubject</i> | the subject of the server's certificate |
| <i>command</i> | the command sent to the server |
| <i>raw</i> | OUTPUT PARAMETER the answer from the server |
| <i>version</i> | OUTPUT PARAMETER the version of the answer |

Returns

failure (F) or success (T)

3.7.2.6 `bool vomsdata::ContactRESTRaw (const std::string & , int , const std::string & , std::string & , int , int)`

3.7.2.7 `bool vomsdata::DefaultData (voms &)`

Get the default data extension from those present in the pseudo certificate

3.7.2.8 `std::string vomsdata::ErrorMessage (void)`

Gets a textual description of the error.

Returns

A string containing the error message.

3.7.2.9 `bool vomsdata::Export (std::string & data)`

Exports data from [vomsdata::data](#) to the format used for inclusion into a certificate.

The function doesn't verify the data

Parameters

| | |
|-------------|---------------------------|
| <i>data</i> | The certificate extension |
|-------------|---------------------------|

Returns

Failure (F) or Success (T)

3.7.2.10 `std::vector<contactdata> vomsdata::FindByAlias (std::string alias)`

Finds servers which share a common alias.

Parameters

| | |
|--------------|------------------------|
| <i>alias</i> | The alias to look for. |
|--------------|------------------------|

Returns

The servers found. The order in which they are returned is unspecified.

3.7.2.11 `std::vector<contactdata> vomsdata::FindByVO (std::string vo)`

Finds servers which serve a common VO

Parameters

| | |
|-----------|--------------------------|
| <i>vo</i> | The VO name to look for. |
|-----------|--------------------------|

Returns

The servers found. The order in which they are returned is unspecified.

3.7.2.12 `bool vomsdata::Import (std::string buffer)`

Converts data from the format used for inclusion into a certificate to the internal format
The function does verify the data.

Parameters

| | |
|---------------|-----------------------------------|
| <i>buffer</i> | contains the data to be converted |
|---------------|-----------------------------------|

Returns

Failure (F) or Success (T)

3.7.2.13 `std::vector<std::string> vomsdata::ListTargets (void)`

Returns the list of targets.

3.7.2.14 `bool vomsdata::LoadCredentials (X509 *, EVP_PKEY *, STACK_OF(X509)*)`**3.7.2.15** `bool vomsdata::LoadSystemContacts (std::string dir = " ")`

Loads the system wide configuration files.

Parameters

| | |
|------------|--|
| <i>dir</i> | The directory in which the files are stored. |
|------------|--|

If *dir* is empty, defaults to `/opt/edg/etc/vomses`.

Returns

True if all went OK, false otherwise.

3.7.2.16 bool vomsdata::LoadUserContacts (std::string *dir* = " ")

Loads the user-specific configuration files.

Parameters

| | |
|------------|--|
| <i>dir</i> | The directory in which the files are stored. |
|------------|--|

If *dir* is empty, defaults to `$VOMS_USERCONF`. If this is empty too, defaults to `$HOME/.edg/vomses`, or to `~/.edg/vomses` as a last resort.

Returns

True if all went OK, false otherwise.

3.7.2.17 void vomsdata::Order (std::string *att*)

Sets up the ordering of the results.

Defines the ordering of the data returned by [Contact\(\)](#). Results are ordered in the same order as the calls to this function.

Parameters

| | |
|------------|------------------------------|
| <i>att</i> | The attribute to be ordered. |
|------------|------------------------------|

3.7.2.18 void vomsdata::ResetOrder (void)

Resets the ordering.

3.7.2.19 void vomsdata::ResetTargets (void)

Resets the target list.

3.7.2.20 `bool vomsdata::Retrieve (X509 * cert, STACK_OF(X509)* chain, recurse_type how = RECURSE_CHAIN)`

Extracts the VOMS extension from an X.509 certificate. The function doesn't check the validity of the certificates, but it does check the content of the user data.

Parameters

| | |
|--------------|---|
| <i>cert</i> | The certificate with the VOMS extensions |
| <i>chain</i> | The chain of the validation certificates (only the intermediate ones) |
| <i>how</i> | Recursion type |

Returns

failure (F) or success (T)

3.7.2.21 `bool vomsdata::Retrieve (X509_EXTENSION * ext)`

Gets VOMS information from the given extension

Parameters

| | |
|------------|-------------------------|
| <i>ext</i> | The extension to parse. |
|------------|-------------------------|

Returns

failure (F) or success (T)

3.7.2.22 `bool vomsdata::Retrieve (FILE * file, recurse_type how)`

Gets VOMS information from a proxy saved as a file.

Parameters

| | |
|-------------|----------------|
| <i>file</i> | the file name |
| <i>how</i> | Recursion type |

Returns

failure (F) or success (T)

Note: Does NOT verify that the proxy is valid. Such verification must be obtained through other means.

3.7.2.23 `bool vomsdata::Retrieve (AC * ac)`

Gets VOMS information from the AC

Parameters

| | |
|------------|-------------------------|
| <i>ext</i> | The extension to parse. |
|------------|-------------------------|

Returns

failure (F) or success (T)

3.7.2.24 `bool vomldata::RetrieveFromCred (gss_cred_id_t credential, recurse_type how)`

Gets VOMS information from the given globus credential

Parameters

| | |
|-------------------|--|
| <i>credential</i> | The credential from which to retrieve the certificate. |
| <i>how</i> | Recursion type |

Returns

failure (F) or success (T)

3.7.2.25 `bool vomldata::RetrieveFromCtx (gss_ctx_id_t context, recurse_type how)`

Gets VOMS information from the given globus context

Parameters

| | |
|----------------|---|
| <i>context</i> | The context from which to retrieve the certificate. |
| <i>how</i> | Recursion type |

Returns

failure (F) or success (T)

3.7.2.26 `bool vomldata::RetrieveFromProxy (recurse_type how)`

Gets VOMS information from an existing globus proxy

Parameters

| | |
|------------|----------------|
| <i>how</i> | Recursion type |
|------------|----------------|

Returns

failure (F) or success (T)

3.7.2.27 `std::string vomsdata::ServerErrors (void)`

Gets the error message returned by the server

3.7.2.28 `void vomsdata::SetLifetime (int lifetime)`

Set requested lifetime for the [Contact\(\)](#) call.

Parameters

| | |
|-----------------|--------------------------------|
| <i>lifetime</i> | Requested lifetime, in seconds |
|-----------------|--------------------------------|

3.7.2.29 `void vomsdata::SetRetryCount (int retryCount)`

3.7.2.30 `void vomsdata::SetVerificationTime (time_t)`

3.7.2.31 `void vomsdata::SetVerificationType (verify_type how)`

Sets the type of verification done on the data.

Parameters

| | |
|------------|---------------------------|
| <i>how</i> | The type of verification. |
|------------|---------------------------|

3.7.3 Field Documentation

3.7.3.1 `std::vector<voms> vomsdata::data`

User's info, as in the certificate extension. It may contain data gathered from more than one VOMS server,

Definition at line 361 of file voms_api.h.

3.7.3.2 `verror_type vomsdata::error`

Error code

Definition at line 206 of file voms_api.h.

3.7.3.3 `std::string vomsdata::extra_data`

The data specified by the user with the --include switch.

Note that this field doesn't contain the result of a request to the VOMS server, but instead data specified by the user.

The reason for the introduction of this extension is to let a user include important data into his proxy certificate, like, for example, a kerberos ticket

Definition at line 365 of file voms_api.h.

3.7.3.4 `std::string vomsdata::workvo`

The value of the -vo option of the voms-proxy-init command

Definition at line 364 of file voms_api.h.

The documentation for this struct was generated from the following file:

- [voms_api.h](#)

Chapter 4

File Documentation

4.1 voms_api.h File Reference

```
#include <fstream>  #include <string>  #include <vector>
#include <openssl/x509.h>      #include <openssl/bio.h> ×
#include <sys/types.h> #include "newformat.h"
```

Data Structures

- struct [data](#)
User's characteristics: can be repeated. Generic name-value attribute : can be repeated.
- struct [attribute](#)
- struct [attributelist](#)
- struct [contactdata](#)
- struct [voms](#)
- struct [vomsdata](#)
- class [vomsdata::Initializer](#)

Defines

- #define [NOGLOBUS](#)

Typedefs

- typedef void * [gss_cred_id_t](#)
- typedef void * [gss_ctx_id_t](#)
- typedef bool(* [check_sig](#))(X509 *, void *, [verror_type](#) &)

Enumerations

- enum `data_type` { `TYPE_NODATA`, `TYPE_STD`, `TYPE_CUSTOM` }
The type of data returned.
- enum `recurse_type` { `RECURSE_CHAIN`, `RECURSE_NONE`, `RECURSE_DEEP` }
- enum `verify_type` { `VERIFY_FULL` = 0xffffffff, `VERIFY_NONE` = 0x00000000, `VERIFY_DATE` = 0x00000001, `VERIFY_TARGET` = 0x00000002, `VERIFY_KEY` = 0x00000004, `VERIFY_SIGN` = 0x00000008, `VERIFY_ORDER` = 0x00000010, `VERIFY_ID` = 0x00000020, `VERIFY_CERTLIST` = 0x00000040 }
- enum `verror_type` { `VERR_NONE`, `VERR_NOCKET`, `VERR_NOIDENT`, `VERR_COMM`, `VERR_PARAM`, `VERR_NOEXT`, `VERR_NOINIT`, `VERR_TIME`, `VERR_IDCHECK`, `VERR_EXTRINFO`, `VERR_FORMAT`, `VERR_NODATA`, `VERR_PARSE`, `VERR_DIR`, `VERR_SIGN`, `VERR_SERVER`, `VERR_MEM`, `VERR_VERIFY`, `VERR_TYPE`, `VERR_ORDER`, `VERR_SERVERCODE`, `VERR_NOTAVAIL`, `VERR_FILE` }

Error codes.

Functions

- int `getVOMSMajorVersionNumber` (void)
- int `getVOMSMinorVersionNumber` (void)
- int `getVOMSPatchVersionNumber` (void)

4.1.1 Define Documentation

4.1.1.1 #define NOGLOBUS

Definition at line 33 of file `voms_api.h`.

4.1.2 Typedef Documentation

4.1.2.1 typedef bool(* check_sig)(X509 *, void *, verror_type &)

Definition at line 183 of file `voms_api.h`.

4.1.2.2 typedef void* gss_cred_id_t

Definition at line 36 of file `voms_api.h`.

4.1.2.3 typedef void* gss_ctx_id_t

Definition at line 37 of file `voms_api.h`.

4.1.3 Enumeration Type Documentation

4.1.3.1 enum data_type

The type of data returned.

Enumerator:

TYPE_NODATA no data
TYPE_STD group, role, capability triplet
TYPE_CUSTOM result of an S command

Definition at line 70 of file voms_api.h.

4.1.3.2 enum recurse_type

Enumerator:

RECURSE_CHAIN
RECURSE_NONE
RECURSE_DEEP

Definition at line 136 of file voms_api.h.

4.1.3.3 enum verify_type

Enumerator:

VERIFY_FULL
VERIFY_NONE
VERIFY_DATE
VERIFY_TARGET
VERIFY_KEY
VERIFY_SIGN
VERIFY_ORDER
VERIFY_ID
VERIFY_CERTLIST

Definition at line 142 of file voms_api.h.

4.1.3.4 enum verror_type

Error codes.

Enumerator:

VERR_NONE
VERR_NOSOCKET Socket problem
VERR_NOIDENT Cannot identify itself (certificate problem)
VERR_COMM Server problem
VERR_PARAM Wrong parameters
VERR_NOEXT VOMS extension missing
VERR_NOINIT Initialization error
VERR_TIME Error in time checking
VERR_IDCHECK User data in extension different from the real ones
VERR_EXTRAINFO VO name and URI missing
VERR_FORMAT Wrong data format
VERR_NODATA Empty extension
VERR_PARSE Parse error
VERR_DIR Directory error
VERR_SIGN Signature error
VERR_SERVER Unidentifiable VOMS server
VERR_MEM Memory problems
VERR_VERIFY Generic verification error
VERR_TYPE Returned data of unknown type
VERR_ORDER Ordering different than required
VERR_SERVERCODE Error message from the server
VERR_NOTAVAIL Method not available
VERR_FILE Error reading data from file

Definition at line 156 of file voms_api.h.

4.1.4 Function Documentation

- 4.1.4.1 int getVOMSMajorVersionNumber (void)
- 4.1.4.2 int getVOMSMinorVersionNumber (void)
- 4.1.4.3 int getVOMSPatchVersionNumber (void)